

Submitted by	Request
Hissho Sushi Andrea Bursey 11949 Steel Creek Rd. Charlotte, NC 28273	Variance Request submitted 1/23/2014 to vary from Sec. 187, potentially hazardous food; hot and cold holding. Variance Application 2014 Variance Approval for 3 locations
Chartwells IUPUI Stacy Blanton 420 University Blvd. St. 120 Indianapolis, IN 46202	Variance Request submitted 4/16/2014 to vary from Sec. 375 conveying sewage to allow permanent handsink with holding tanks. Variance Application Variance Approval
WWLW , LLC Russell Winkler P.O. Box 302 Snata,Clause, IN 47579	Variance Request submitted 5 /9/2014 to vary from Sec. 375, conveying sewage, to allow a "French Drain System" for discharge of condensation and use of a holding tank and use off-site disposal of gray water. Variance Application Variance Approval
Sushi Avenue, Inc H.J. Kim 895 Blue Gentian Road, Suite 6 Eagan, MN 55121	Variance Request submitted 5/20/ 2014 to vary Sec. 187, relating to food temperatures for potentially hazardous (TCS) food. Variance Application
Jane E. Crookston, R.D. 4125 Producers Drive Indianapolis, IN 46218	Variance request submitted 5/20/ 2014 to vary Sec. 69 warewashing equipment requirements, and Secs. 270 thru 276 manual warewashing to wash food service equipment offsite. Variance Application Notice Denial - no Variance required
Miller Ice LLC Craig Miller 431 S. Lincoln Park Evansville, IN 47714	Variance request submitted 6/5/2014 to vary from Sec. 375, conveying sewage, to allow a "French Drain System" for discharge of condensation and use of a holding tank and use off-site disposal of gray water. Variance Application Variance Approval
Texas Roadhouse Holdings, Inc. Eric D. Martin 6040 Dutchmans Lane Louisville, KY 40205	Variance request submitted 7/23/2014 to vary Sec. 195, Reduced Oxygen Packaging, to allow food products green beans, chili w/o beans, chili w/beans. Au Jus, Simple Brown Sauce, and Simple Mushroom Sauce to be bagged at 135° F or above, sealed, cooled according to the 2012 FDA Food Code for a Cook/Chill operation, and stored for up to 7 days at 41°F or below. Variance Application